



BAKERY

STARMIX is specialized in the manufacture of planetary mixers for industrial pastry producers and pastry shops, for the catering sector and for the pharmaceutical and cosmetics industries and has grown in accordance with the "step-by-step" philosophy, quickly becoming one of the leading companies in its sector.

MADE IN ITALY



MANUFACTURER OF EQUIPMENTS FOR CATERING



THE PRODUCTION OF "AD HOC" MIXERS TAILORED TO CUSTOMERS' AND MARKETS' REQUIREMENTS AND FURTHER CUSTOMIZATION OF THE SAME MIXERS MAKE THESE PRODUCTS DESIRABLE FOR ALL INTERNATIONAL MARKETS.

IN THE FOLLOWING PAGES

BAKERY OVENS →


THE BAKERY & PASTRY VENS →

WWW.STARMIX.IT
JESSYTRADE.COM

BROUGHT TO YOU BY
JESSY TRADE



- All Starmix planetary mixers feature fixed or variable speed drives (through inverters)
- Standard equipment: bowl, fine wire whisk, beater and hook
- Optional accessories: heavy wire whisks, spiral, scrapers (only for models PL40T and PL60T) and bowl trolleys
- Bowls, whisks and scrapers are all in stainless steel. Beaters, dough hooks and spiral dough hooks in aluminium or in stainless steel
- Body in epoxy painted steel Version in stainless steel upon request
- CE Certified safety guards
- All mixers come with an integrated timer
- Control panel for front control
- For models PL40T and PL60T automatic bowl lifting available through gearmotor and worm screw



CODICE MACCHINA* MACHINE CODE* CODE MACHINE* CODIGO MAQUINA* MASCHINENKODE*	VASCA BOWL CUVE CUBETA SCHÜSSEL LT.	DIMENSIONI DAIMENSION DIMENSIONES DIMENSIONES ABMESSUNGEN mm (AxBxC)	PESO WEIGHT POIDS PESO GEWICHT KG	POTENZA POWER PUISSANCE POTENCIA MOTORSTARK KW	VELOCITÀ SPEED VITESSES VELOCIDAD GESCHWINDIGKEIT RPM	VOTAGGIO STANDARD STANDARD VOLTAGE TENSION STANDARD TENSION ESTÁNDAR STANDARD-SPANNUNG VOLT-PH-HZ	RIDUZIONI REDUCTION REDUCTIONS REDUCCIONES VERKLEINERUNGEN LT
PL20B2VS	20	715x610x980	90	0,42/0,8	1° 60 (152) 2° 120 (304)	400/3/50	10
PL20BVARES	20	715x610x980	90	1,1	min. 47 (120) max. 158 (401)	230/1/50	10
PL20C2VS	20	715x610x1330	100	0,42/0,8	1° 60 (152) 2° 120 (304)	400/3/50	10
PL20CVARES	20	715x610x1330	100	1,1	min. 47 (120) max. 158 (401)	230/1/50	10
PL30T3V	30	840x640x1365	180	0,45/0,8/1,2	1° 38 (84) 2° 75 (166) 3° 150 (333)	400/3/50	-
PL30TVARE	30	840x640x1365	180	1,5	min. 38 (83) max. 150 (333)	230/1/50	-
PL40T3V	40	980x730x1480	235	0,59/1,1/1,5	1° 36 (80) 2° 73 (162) 3° 147 (326)	400/3/50	20
PL40TVARE	40	980x730x1480	235	2,2	min. 36 (80) max. 162 (360)	400/3/50 – 230/1/50	20
PL60T3V	60	1030x755x1545	260	0,9/1,8/2,2	1° 36 (80) 2° 73 (162) 3° 147 (326)	400/3/50	20 – 40
PL60TVARE	60	1030x755x1545	260	3	min. 36 (80) max. 162 (360)	400/3/50 – 230/1/50	20 – 40



BOWL AND TOOLS



Fine wire whisk · Fouet



Beater · Palet



Hook · Crochet



Heavy wire whisk · Fouet



Spiral · Spirale



Scraper · Racloir

CONTROLS PANEL

PL20BS · PL20CS

PL30T · PL40T · PL60T



2 speeds



Electronic variator



3 speeds



Electronic variator